Receiving Report Batch No: Date: Dart P/O: Supplier: N/A Yes Release Note Attached: Yes Waybill Attached: DAS Shipment Complete QC6 Inspection Packing Slip: Yes No N/A Yes No Invoice: Cr N/A Receipt: Cash N/A Work Order Discrepancies Quantity Quantity Quantity Quantity Comments Part Short Description Returned Received Ordered Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing

Initial

Purchase Order Receipt Listing

Friday, May 10, 2013, 8:11:13 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19756 Receipt Dates from 5/10/2013 to 5/10/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

| P. (2) | Book Amt | \$360.00 | 48.0000 | 0.0000- | 0.0000 |
|--------|--|--|--------------------------|--|-----------------------------|
| | B | | | | |
| | MRB Qty/ MRB Reject Qty | 0 | uantity: | o U/M): uantity: t Value: | uantity: |
| | Inspected Qty/ Rejected Qty (PO U/M) | 00000 | Total Received Quantity: | Total Qty to Inspect (FO U/MJ; Total Reject Quantity; Total Receipt Value: | Fotal Balance Due Quantity: |
| | Cost Per Unit/ Recv Value | \$7.50 | | Total | Tot |
| . : | Recv Qty (PO U/M) | 48.0000 | | | |
| - | Recv Date/ Recv Emp | 5/8/2013 5/10/2013 48.0000 DESJ02 | | | |
| | Required Date Required Qty | 5/8/2013 | | | |
| | PO U/M / Stock U/M | Metals f | | | |
| | Line Project ID Reference/ Nbr/ Description/ Insp Cert Std | VU-TWM001 TW Metals M7075T73R1.000 f 7075_T73 Rd Bar f | 1.00 125586 | | |
| | Project ID | | | | |
| | Line Nbr/ Insp Req | dor Name 5 No | : i. | | |
| ź | Purchase Order ID/ Curr Type | VendorID\Vendor Name PO19756 5 USD No | | | |





PACKING SLIP

ORDER NO.: 70507634 FROM: ATLA

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON

CANADA

CN K6A 1K7

SALESPERSON: DONNA SMALLEY

TERMS: F.O.B.: CUST ORD NO.: NET 30 DAYS

SHIPPING POINT PO19756 IT 5

LINE ITEM DESCRIPTION

45.619 REQ.DATE: 05/08/13 CONFIRMED SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SHIP BY:

05/03/13 VIA: COMMON CARRIER

FREIGHT:

RELEASE NO.:

RECEIVING PHONE:

WIDTH LENGTH

0001 34568 7075T7351 B211 CF ROD 1.00 DIA

QTY: 48.000 FT WT: 45.619 PC: 4 SHP: 1 TEST REPORTS REQUIRED **

PREPAID

12FT 45.619 LB

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00 PO:49274207 HT:MA012001601 PC: 4 SLB/CL:MA012001601

MLT: UNITED STATES MFG: UNITED STATES

AREA TYPE OF PKG PKGS GRS WEIGHT WIDTH LENGTH HGHT B-1 REDDICRATE 1.000 60.000 150.0000

BY: LW RT 000-

---- PACK INFO/---

1.000 60.000

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.





PACKING SLIP

ORDER NO.: 70507634

FROM: ATLA

PAGE

CUST NUMBER: 1203820

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON

CANADA

CN K6A 1K7

DONNA SMALLEY

SHIPPING POINT

COMMON CARRIER

NET 30 DAYS

PO19756 IT 5

PREPAID

NET WGT:

SALESPERSON:

TERMS: F.O.B.:

CUST ORD NO.: VIA:

FREIGHT:

RELEASE NO.:

RECEIVING PHONE:

45.619 REQ.DATE: 05/08/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SHIP BY:

175 TUBEWAY

FOREST PARK

05/03/13

GA 30297

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk

Date:

5/03/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.





ORDER NO.: 70507634

FROM: ATLA

PAGE 1

CUST NUMBER: 1203820

NET WGT:

45.619 REQ.DATE: 05/08/13 CONFIRMED

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKESBURY ON

CANADA

CN K6A 1K7

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

CUST ORD NO .:

TERMS: F.O.B.: DONNA SMALLEY

NET 30 DAYS

SHIPPING POINT PO19756 IT 5

SHIP BY: VIA:

05/03/13

PREPAID

COMMON CARRIER

FREIGHT:

RELEASE NO.:

PC: 4

RECEIVING PHONE:

WIDTH

LENGTH

LINE ITEM DESCRIPTION

0001 34568 7075T7351 B211 CF ROD 1.00 DIA

45.619 PC:

48.000 FT WT:

MLT:UNITED STATES MFG:UNITED STATES

1 TEST REPORTS REQUIRED ** 1 CERTS REQUIRED **

ECCN: EAR99

Export License: NLR PO:49274207 HT:MA012001601

Expiration Date: 0/00/00

SLB/CL:MA012001601

AREA TYPE OF PKG

REDDICRATE

PEGS GRS WEIGHT

PACK INFO ----

WIDTH

LENGTH HGHT

150.0000

2..000

1.000

60.000

60.000

BY: LW RT 000-

B-1

JOHNOAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.





ORDER NO.: 70507634

FROM: ATLA

45.619 REQ.DATE: 05/08/13 CONFIRMED

PAGE 2

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKESBURY ON CANADA

TERMS:

F.O.B.:

CN K6A 1K7

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

NET 30 DAYS

SHIPPING POINT PO19756 IT 5

CUST ORD NO.: VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

SHIP BY:

05/03/13

175 TUBEWAY

FOREST PARK

GA 30297

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 5/06/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

Page

Certified Inspection Report

08:44:57 04/05/12

Park Avenue East, Massena, NY 13662 Massena Operations Alcoa Inc.

We hereby certify that the material covered in this report has been inspected in accordance with, and has material met the composition limits and have the mechanical properties shown on the face of this sheet. Manufactured under an ISO/TS 16949 registered quality management system Melted and manufactured in the USA. Govt. Contract No -002 MMC-A2736-Alcoa Order No. Customer Part No. (34568)Customer P.O. No. M49274207 Forest Park, GA 30298 Attn: TEST REPORTS 175 Tubeway Ship To Tw Metals Tw Metals Customer

been found to meet the applicable requirements described herein, including any specifications forming a part of the description, or as previously agreed to with customer and that samples representative of the

Thomas J. Klemp, Quality Assurance Ma BOL 000160194

Specific Length

Product CFRB-CF ROD

Config 12 FT

DIA

Shape

1.00000 IN

Size

7075-77351 04/05/12

Alloy - Temper

Date Shipped

595 lbs

Weight Shipped

ORR

Specifications:

ASTM B211-03 AMS 4124D AMS-QOA-25-25 QOA-225/9E

er seriority to 173 requirements

Product produced and marked to the requirements of AMS-QO-X-225/9 also meets the requirements of QO-A-225/9. Product produced and marked to the requirements of QQ-A-225/9 also meets the requirements of AMS-QD-325/9.

| | | | | | | | | * | ! | 4 | The state of the state of |
|------------------------|------|--------|---------|--------------------|------|------|------|------|----------|------|---------------------------|
| TEST REQUIREMENTS | | Test | Test | Test | Test | Test | Test | Test | Test | Test | Test |
| | | U.T.S. | 7. Y.S. | T.Y.S. %Elong Cond | | | | | | | |
| | Max: | | 6.79 | | | | | | | | |
| | Min: | 0.89 | 56.0 | 10.0 | 38.0 | | | | | | |
| T | | | | | - | | | | | | |
| lest nesults No of | | Test | Test | Test | Test | Test | Test | Test | Test | Test | Test |
| Lot / Work Order Tests | | U.T.S. | T. Y.S. | %Elong | Cond | | : | | | | |
| MA012001601 2 | Max: | 76.9 | | 16.5 | 39.5 | | | | | | |
| | Min: | 76.3 | 65.5 | 16.5 | 39.5 | | | | | | |

When 2 or more tests per lot are made, the highest and lowest values are reported. Analysis obtained from one or more samples in this lot.

| | ength KSI | , |
|---------------|---------------------------|----------------------|
| | insile Yield Streng | |
| | (.S. Te | |
| | 7 | |
| | | |
| | | |
| | ength KSI | ď |
| | Ultimate Tensile Strength | Conditionity of IACC |
| /IATIONS | Ultimate | Condition |
| Test abbrevi/ | U.T.S. | 7 |
| TES | | |

Elongation % in 2"

%Elong

Aluminum Association Chemical Composition Limits (in Weight %)

| | IS% | %FE | %CC | %MN | %WG | %CR | NZ% | %TI | %Others %Others | | %AL | | | |
|--------------------|----------|------|-----|------|-----|------|-----|------------|-----------------|-------|-----|-------------|--|---|
| ALLOY | MAX 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.15 | Rem | 1 0 1 | TOTA DEDORTE | _ |
| 7075 | MIN | | 7.2 | | 2.1 | 0.18 | 5.1 | | Each | Total | _ | ינים: | יייייייייייייייייייייייייייייייייייייי | |
| Charles of Charles | | | | | | | | | | | | | ACCEL 1EO 1 | _ |

Actual Started Unemistry

| APR 1 1 2012 | 0 | Manaro | TW METALS |
|----------------|---------------------|-------------|-----------|
| %AL | <i>"</i> | 7 | |
| % | 15 Res | | |
| %0T | 17 O. | | |
| %0E | LT 0.05 LT 0.15 Rem | | |
| 11% | 0.02 | 0.05 | |
| NZ% | 5.9 | 5.6 | |
| %CR | 0.21 | 0.20 | |
| %MG | 2.5 | 2.4 | |
| NW% | 0.02 | 0.01 | |
| %CN | 1.7 | 1.5 | |
| %FE | 0.16 | 0.12 | |
| ıs% | MAX 0.09 | 0.05 | |
| | MAX | MIN | |
| LOT/WORK ORDER | | MA012001601 | NOTES: |

Mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product.

This alloy meets the requirements of EU 2002/95/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Page Number 1 of 2 Order From: VU-TWM001 TW METALS PO BOX 933014 ALTANTA, GA 31193-3014 US Contact Name Buyer Chantal Lavoie Vendor Phone 585 768 5600 Requisition Nbr Vendor Fax 585 768 5601 Tax Resale Nbr 10127-2607 Vendor Account Nbr Terms Net 30 Currency USD **FOB** Destination-Collect Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA Line Nbr Reference Description/ Req Date/ Req Qty/ Ship Method **Unit Price** Extended Taxable Unit of Measure Revision ID Mfg ID Price Vendor Part Number M6061T6T0.3125W.058 ALUM TUBE .3125 x 5/08/13 200.00 Yours ppd \$2.5000 \$500.00 .058w CAU3/05/10 Yes MATERIAL: 6061-T6 OR 6061-T62 Special Inst: TUBING PER WW-T-700/6 OR AMS 4080

OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8

M6061T6T0.500W.065

6061T6 RD TUBF .500 X

.065W

5/08/13

200.00 Yours ppd

\$420.00

Yes

· Nec 204/43/0/17

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8

M6061T6T1.000W065

6061T6 RD TUBE 1.00 x .065w

5/08/13

\$225.00

1 Nec 108 /93/6/1

No substitution or deviation without consent. Certificate of Conformity or Material

Certification required - YES NO

Change Nbr:

unge Date:

5/01/13



Change Nbr:

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Certification required (YES)

| - | 1 | | | | | | | Page N | umber 2 of 2 | |
|--|--------------------------------|---|-------------------|---|--------------------------|---|--|----------|-----------------|------------|
| Order From : TW META PO BOX 9 ALTANTA US | | | | VU-TW | /M001 | | | | | |
| Contact Name Vendor Phone Vendor Fax Vendor Accor | e 585 768 5600 585 768 5601 | | | | Tax Ter | quisition Nbr x Resale Nbr rms rrency | Chantal Li 10127-260 Net 30 USD Destinatio | 07 | M)ze | 5578 |
| | | | Special Inst | TU | BING PER V AMS 4082 (| 061-T6 OR 6061 WW-T-700/6 OR OR QQ-A-200/8 | R AMS 4080 | | | |
| M6061T | | ALUM. 1.250 x. | RD TUBING 125W | | 5/08/13 Yes | 2 200. | f A | | \$5.2500 | \$1,050.00 |
| of Principles (1) and the control of | | : | Special Inst | TUE | BING PER W AMS 4082 (| 061-T6 OR 6061- WW-T-700/6 OR OR QQ-A-200/8 | R AMS 4080 | 43/61 | A | |
| M7075T | 73R1.000 | 7075-T7 | 73 Rd Bar 1.00 | | 5/08/13 Yes | 48.0 | 00 Yours ppo | d / / / | \$7.5000 | \$360.00 |
| | } : | | Special Inst | T73 | 51/T73510/T PER AMS-Q | 75-T73 OR 757(T73511 ROUND QQ-A-200/1 OR . | D BAR ' | 79/ 1 | | |
| | | | | | | · | | PO Total | : | \$2,555.00 |
| | : | | | beavour | RAATEDIA | of Appropriate | | | | |
| | | | | STALE STATE OF STATE | 1 | NL CERTIFIC UPON DELIV | É | | | |
| 1 | | | | | | | | | | |
| | | : | | | | V C | cor | nsent. | on or deviation | |

Change Date: 5/01/13